

Luna

D700

Luna

This guide shows you how to set up the D700 in Luna. All pictures provided were taken with Luna 1.7 but it is also applicable to most other Luna versions.

All files mentioned in this guide can be found on the USB drive, in the Asparion Configurator installation folder or on our website.

If you are having trouble with anything in this guide, please contact us via our website <u>www.asparion.de/contact</u> and we'll immediately help you.

Step 1:

- Select the Luna preset How to select a preset is described in the main manual.

er

Step 2:

- Open Luna
- Click on Luna->Preferences...



er

Step 3:

- Go to CONTROLLERS
- Select D700 as shown below

НА	RDWARE	I/O SETTINGS OPTIONS	MIDI	CONTROLLERS								
SURFACE SHOWS TRACKS FROM BANK TO SELECTED TRACK ON ON			SCROLL LUNA WHEN BANKING SHOW MAIN TRACK USE SURFACE FADE		TAPER							
MIDI CONTROL SURFACES												
	ON	INPUT DEVICE		OUTPUT DEVICE		FOCUS MODULE	EXTENDER					
1		D 700		D 700								
2												
3												
4												
5												
6												

3

en

Step 7: (optional)

- If you want to connect more than one extension, you should redo step 3 but select **D700 (2)** and **Extender**

If there is only one D700 showing up, you need to enable the extensions first. How you can do that is described in the main manual.

H	ARDWARE	I/O SETTINGS OPTIONS	s MIDI	CONTROLLERS									
SURFA	CE SHOWS TRACK	BANK TO SELECTED TRACK	SCROLL LUNA WHEN B	ANKING SHOW MAIN TRACK USE SUR	FACE FADEF	R TAPER							
	MIDI CONTROL SURFACES												
	ON	INPUT DEVICE	ki 🛛	OUTPUT DEVICE		FOCUS MODULE	EXTENDER						
1		D 700		D 700									
2		MIDIIN2 (D 700		MIDIOUT2 (D 700)									
3													
4													
5													
6													

en

